

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07C 31/26, 29/76, A61K 47/10, 31/44, 9/20	A1	(11) International Publication Number: WO 97/38960 (43) International Publication Date: 23 October 1997 (23.10.97)
(21) International Application Number: PCT/JP97/01286 (22) International Filing Date: 14 April 1997 (14.04.97) (30) Priority Data: 8/94401 16 April 1996 (16.04.96) JP (71) Applicants (for all designated States except US): TAKEDA CHEMICAL INDUSTRIES, LTD. [JP/JP]; 1-1, Doshomachi 4-chome, Chuo-ku, Osaka-shi, Osaka 541 (JP). BAYER AG [DE/DE]; Bayerwerk, D-51368 Leverkusen (DE). (72) Inventors; and (75) Inventors/Applicants (for US only): YOSHINARI, Tomohiro [JP/JP]; 18-D73-101, Tsukumodai 5-chome, Suita, Osaka 565 (JP). SCHUECKLER, Fritz [DE/DE]; Walter-Flex-Strasse 19, D-51373 Leverkusen (DE). POELLINGER, Norbert [DE/DE]; Fritz-Fischer-Strasse 10, D-79379 Müllheim (DE). MAEGATA, Shinji [JP/JP]; 833-147, Ohara-naka, Koka-cho, Koka-gun, Shiga 520-34 (JP). (74) Agents: AOYAMA, Tamotsu et al.; Aoyama & Partners, IMP Building, 3-7, Shiromi 1-chome, Chuo-ku, Osaka-shi, Osaka 540 (JP).		(81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HU, IL, IS, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: D-MANNITOL AND ITS PREPARATION		
<div style="text-align: center;">  <p>50µm</p> </div>		
(57) Abstract <p>D-mannitol having a specific surface area of not less than about 1 m²/g is disclosed. The D-mannitol shows improved compressibility and is useful as an excipient.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

DESCRIPTION

D-MANNITOL AND ITS PREPARATION

FIELD OF THE INVENTION

The present invention relates to a novel D-mannitol
5 and its preparation. More specifically, it relates to D-mannitol which can be used as an excipient with excellent compressibility in the fields of preparation of medicaments and food processing industry, and a process for preparing it.

BACKGROUND OF THE INVENTION

10 D-mannitol is excellent in safety and the compatibility with physiologically active substances. And, since it is not hygroscopic and retains no substantial moisture, it is of high value as an excipient for formulation of, especially, a physiologically active substance of high moisture
15 sensitivity into tablets or capsules. On the other hand, D-mannitol is poor in bindability when subjected to compression and, besides, its friction with a metal wall is strong. These shortcomings tend to cause die friction or capping upon compression, which fails to give sufficient hardness to the
20 aimed tablets, giving wear on the wall of a die and on the side face of a punch, even making sometimes the running of a tableting machine difficult. In view of the foregoing, use

of D-mannitol as excipient has been restricted in the very limited dosage forms such as chewable tablets.

D-mannitol is crystalline powder having polymorphic forms classified into α form, β form and δ form by X-ray diffraction patterns [Walter-Levy, L., Acad. Sc. Paris, t. 267 Series C, 1779 (1968)]. For improving the compressibility of crystalline powder, it has been known that, in general, crystals are finely ground to increase the binding points to give a better compressibility. However, in the case of D-mannitol, mere ground of it into fine powder enhances the friction with the metal wall when subjected to compression, and also involves problems on its handling such as dusting and lowering of fluidity.

And, in Journal of Pharmaceutical Sciences, 53 (2), 188-192 (1964), there is a report on a method of obtaining D-mannitol improved in its compressibility, which comprises fusing D-mannitol and, immediately cooling. However, the improvement in compressibility brought by this method is not the one sufficiently meeting the requirements in the formulation process. Besides, the procedure is specific, so that it is difficult to apply to a industrial production scale, leaving a problem from the viewpoint of cost.

OBJECTS OF THE INVENTION

One object of the present invention is to provide D-mannitol by a simple procedure, which is excellent in powder properties and dramatically improved in the compressibility.

Another object of the present invention is to
5 provide a process for preparing the D-mannitol.

Still another object of the present invention is to provide a solid composition comprising the D-mannitol as an excipient.

These objects as well as other objects and
10 advantages of the present invention will be apparent to those skilled in the art from the following description with reference to the accompanying drawings.

BRIEF DESCRIPTION OF DRAWINGS

Fig. 1 is a graph illustrating the hardness of the
15 compressed products prepared in Example 1 and that of the compressed product prepared in Comparative Example 1 hereinafter. In Fig. 1, the open circle and the open square respectively show the comparative compressed products using untreated δ form crystals and β form crystals, while the
20 closed circle and the closed square respectively show the results observed in the compressed product prepared by using treated crystals of Example 1 and Comparative Example 1.

Fig. 2 is the scanning electron microscopic image of the D-mannitol of the present invention prepared in Example 1.

Fig. 3 is the scanning electron microscopic image of the δ form crystals.

Fig. 4 is the respective powder X-ray diffraction patterns of the D-mannitol of the present invention and δ form and β form D-mannitol.

Fig. 5 is the respective hardness of the compressed product prepared in Example 2 and that of the compressed product prepared in Comparative Example 2 hereinafter.

Fig. 6 is a graph illustrating the respective hardness of the compressed product of Example 3 and that of the compressed product of Comparative Example 3 hereinafter.

Fig. 7 is a graph illustrating the respective strength of the compressed product of Example 4 and that of the compressed product of Comparative Example 4.

Fig. 8 is a graph illustrating the relation of the amount of purified water used for treatment of the δ form crystals with the properties of the resultant D-mannitol.

SUMMARY OF THE INVENTION

Under these circumstances, the present inventors have studied intensively to establish a process for preparing D-mannitol excellent in powder properties and improved in com-

pressibility, by a simple procedure. As a result, it has been found that, when δ form crystals are brought into contact with a water-soluble solvent, they are transformed into β form at the contact interface to give fine crystalline precipitates.

5 This phenomenon has suggested the present inventors that D-mannitol composed of an aggregation of fine crystals could be obtained. The present invention has been completed by the present inventor's further intensive investigation of based on this suggestion.

10 That is, according to the present invention, there is provided D-mannitol having a specific surface area of not less than about $1 \text{ m}^2/\text{g}$, in particular, such D-mannitol comprising a mixture of δ form crystals and β form crystals.

In another aspect, the present invention provides
15 a process for preparing D-mannitol having a specific surface area of not less than about $1 \text{ m}^2/\text{g}$ which comprises treating δ form D-mannitol crystals with a water-soluble solvent, followed by drying. In this aspect, it is preferred to use the water-soluble solvent in an amount of about 3 to about 70
20 W/W% based on the weight of the δ form D-mannitol crystals.

In still another aspect, the present invention provides a solid composition comprising D-mannitol having a specific surface area of not less than about $1 \text{ m}^2/\text{g}$. Preferably, the solid composition of the present invention
25 further comprises a pharmacologically active component, for

example, a highly moisture-sensitive component, in particular, sodium 3R, 5S-(+)-erythro-(E)-7-[4-(4-fluorophenyl)-2,6-diisopropyl-5-methoxymethyl-pyrid-3-yl]-3,5-dihydroxy-hept-6-enoate.

5

DETAILED DESCRIPTION OF THE INVENTION

The D-mannitol of the present invention is the β form crystals alone or a mixture thereof with the δ form crystals, which is an aggregate of D-mannitol crystals whose specific surface area is not less than about 1 m²/g, preferably not less than about 1.5 m²/g, normally about 1.5 to about 4 m²/g.

The specific surface area used herein is that calculated by the BET method widely used in general.

From the viewpoint of convenience of utilizing as additives or excipients of pharmaceutical preparations or food products, D-mannitol is preferably in the state of granules of crystalline aggregate especially whose average size is about 0.05 to about 5.0 mm, more preferably about 0.08 to about 2.0 mm in diameter. However, forms of the crystalline aggregate is not specifically limited and any form of crystalline aggregate which meet the requirements and, for example, net-like or thin plate-like ones are included in the present invention, in so far as the aggregate has the above-described properties.

The α form, β form and δ form D-mannitol crystals described herein are defined in accordance with the classification of polymorphic forms by X-ray diffraction pattern reported in Acad. Sc. Paris, t. 267 Series C, 1779, 5 (1968) by Walter-Levy, L.

The D-mannitol of the present invention can be prepared by a method which comprises treating the δ form crystals employed as the starting material with a water-soluble solvent and then drying the treated material, preferably, by 10 subjecting it to rapid drying to cause transformation of the surface or inside of the starting crystals into fine β form crystals. More specifically, the method comprises a step of moistening the surface of the δ form crystals with a water-soluble solvent to cause successive transformation of a 15 portion or all of the δ form crystals reacted with the solvent into the β form from the surface to the inside, and a step of drying to suppress the growing of the resultant β form crystals. Then, normally, D-mannitol of the present invention exists as a mixture of δ form crystals and β form crystals. 20 The ratio of δ form crystals and β form crystals in the mixture is defined by the above transformation step of the crystal form and crystal growing step. However, it is not specifically limited.

For treating the δ form crystals with a water-soluble solvent, any means which can moisten the surface of 25

individual crystals without dissolving completely in a water-soluble solvent, for example, spraying a water-soluble solvent on a thin layer of the δ form crystals or agitating while spraying or dropping a water-soluble solvent on the δ form crystals, can be employed. And, in this treatment, other component may optionally be coexisted in so far as the surface of D-mannitol crystals can be moistened. For example, as described in the Examples hereinafter, treatment of a portion or of the whole mixture of a formulated end product containing D-mannitol with a water-soluble solvent also falls within the scope of this invention.

Examples of the water-soluble solvent include purified water, methanol, ethanol, acetone or a mixture thereof, and the mixing ratio is suitably chosen depending on necessity. Among them, purified water, ethanol and a mixture thereof are preferably employed.

The amount of the water-soluble solvent to be used is suitably chosen according to a particular treatment of crystals, a particular solvent to be used or the like, normally, from the range of about 3% to about 70%, preferably about 15% to about 40% by weight based on the weight of the starting crystals. For example, in case of employing a method comprising addition of the water-soluble solvent to the starting crystals and agitating the mixture, preferably, the water-soluble solvent is added in an amount of about 5 w/w%

or more in view of the diffusion rate of the water-soluble solvent.

In the drying step, for suppressing the growing of fine crystals developed by the above-described method, the time required for drying is preferably as short as possible. Therefore, normally, rapid drying are preferred in many cases. On the other hand, the starting crystals continues transition caused by treatment with the water-soluble solvent until completing the transition to the β form. Then, the drying in the method of the present invention is determined depending on the relation with the transition rate of the crystals, thus the drying time is not specifically limited. Therefore, for example, in case of the method comprising admixing the starting crystals with purified water, it is preferred to remove purified water within 48 hours, preferably 16 hours, more preferably 8 hours after the crystals and purified water are homogeneously mixed. However, the time can of course be varied with, for example, the treatment method, solvent and drying method employed. Examples of the drying method include vacuum drying, air drying, fluidized bed drying and dielectric high frequency drying and the like, and, among them, vacuum drying is preferred.

The thus-obtained D-mannitol of the present invention has the above-described specific surface area and exhibits an excellent compressibility, which can be used as

an excipient for direct compression, wet-granulation or dry-granulation. The mannitol can be used as a good excipient in the fields of pharmaceutical and food products. It is especially useful for the production of a solid composition comprising a pharmacologically active component, a sweetener or the like.

The solid composition of the present invention comprises D-mannitol having a special surface area of not less than about 1 m²/g. The composition of the present invention further comprises, preferably, a pharmacologically active component, a sweetener or the like. The composition can contain a pharmacologically active component, a sweetener or the like in an effective amount thereof. In particular, the composition of the present invention preferably comprises a pharmacologically active component.

Examples of the pharmacologically active component include physiologically active peptides, anti-tumor agents, antibiotics, antipyretics, analgesics, anti-inflammatory agents, antitussive expectorants, bronchodilators, sedativa, muscle relaxants, antiepileptics, antiulcer agents, antidepressant agents, antiallergic agents, cardiotonics, antiarrhythmic agents, vasodilators, hypotensive diuretics, antidiabetics, antilipidemic agents, anticoagulants, hemostatics, antituberculous agents, hormones, narcotic antagonists, bone resorption inhibitory agents, osteogenesis

promoting agents, angiogenesis inhibitory agents, vitamins and the like.

Examples of the physiologically active peptides include LH-RH (luteinizing hormone releasing hormone) agonists [U.S. Patents 3,853,837, 4,008,209 and 3,972,859; British Patent No. 1,423,083; Proceedings of the National Academy of Sciences of the United States of America, 78, 6509-6512 (1981)], LH-RH antagonists (U.S. Patents 4,086,219, 4,124,577, 4,253,997, 4,317,815 and 5,480,868), insulin, somatostatin, somatostatin derivatives (sandostatin, U. S. Patent 4,087,390, 4,093,574, 4,100,117 and 4,253,998), growth hormone, prolactin, adrenocorticotrophic hormone (ACTH), ACTH derivatives (e.g., ebitatide, etc.), melanocyte-stimulating hormone (MSH), thyrotropin-releasing hormone (TRH) and its derivatives (JP-A 50-121273 and JP-A 52-116465), thyroid-stimulating hormone (TSH), luteinizing hormone (LH), follicle-stimulating hormone (FSH), vasopressin, vasopressin derivatives [desmopressin (Nippon Naibunpi Gakkaishi, 54, 5, 676-691 (1978))], oxytocin, calcitonin, parathyroid hormone (PTH), glucagon, gastrin, secretin, pancreozymin, cholecystokinin, angiotensin, human placental lactogen, human chorionic gonadotropin (HCG), enkephalin, enkephalin derivatives (U.S. Patent 4,277,394, EP-A 31567), endorphin, kyotorphin, interferons (e.g., IFN- α , β , γ , etc.) interleukins (e.g., IL-1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, etc.),

tuftsin, thymopoietin, thymosin, thymostimulin, thymic humoral factor (THF), blood thymic factor (FTS) and its derivatives (U.S. Patent 4,229,438) and other thymic factors [Igaku no Ayumi, 125, 10, 835-843 (1983)], tumor necrosis factor (TNF),
5 colony stimulating factors (CSF, GCSF, GMCSF, MCSF, etc.), motilin, dynorphin, bombesin, neurotensin, caerulein, bradykinin, urokinase, asparaginase, kallikrein, substance P, insulin-like growth factors (IGF-I, IGF-II), nerve growth factor (NGF), cell growth factors (EGF, TGF- α , TGF- β , PDGF,
10 acidic FGF, basic FGF, etc.), osteogenesis factor (BMP), neurotrophic factors (NT-3, NT-4, CNTF, GDNF, BDNF, etc.), blood coagulation factors VIII and IX, lysozyme chloride, polymyxin B, colistin, gramicidin, bacitracin and erythropoietin (EPO), thrombopoietin (TPO), polypeptides
15 having endothelin antagonistic activity (EP-A 436189, 457195 and 496452; JP-A 3-94692, JP-A 3-130299) and the like.

Examples of anti-tumor agents include Bleomycin, Methotrexate, Actinomycin D, Mytomycin C, Vinblasine sulfate, Vincristine sulfate, Daunorubicin, Adriamycin,
20 Neocarzinostatin, cytosine arabinoside, Fluorouracil, tetrahydrofuryl-5-fluorouracil, Klestin, Picibanil, Lentinan, Levamisole, Bestatin, Azimexon, Glycyrrhizin, poly I:C, poly A:U, polyICLC and the like.

Examples of antibiotics include Gentamicin,
25 Dibekacin, Kanendomycin, Lividomycin, Tobramycin, Amikacin,

Fradiomycin, Sisomicin, Tetracycline hydrochloride, Oxytetracycline hydroxchoride, Rolitetracycline, Doxycycline hydrochloride, Ampicillin, Piperacillin, Ticarcillin, Cefalotin, Cefaloridine, Cefotiam, Cefsulodin, Cefmenoxime, 5 Cefmetazole, Cefazolin, Cefotaxime, Cefoperazone, Ceftizoxime, Moxalactam, Thienamycin, Sulfazecin, Azthreonam, Cefotiam hexetil hydrochloride, acetoxymethyl (+)-(5R, 6S)-6-[(R)-1-hydroxyethyl]-7-oxo-3-(3-pyridyl)-4-thia-1-azabicyclo[3.2.0]hept-2-ene-2-carboxylate and the like.

10 Examples of antipyretics, analgesics and anti-inflammatory agents include salicylic acid, sulpyrine, flufenamic acid, diclofenac, indomethacin, morphine, pethidine hydrochloride, levorphanol tartrate, oxymorphone and the like.

Examples of antitussive expectorants include 15 ephedrine hydrochloride, methylephedrine hydrochloride, noscapine hydrochloride, codeine phosphate, dihydrocodeine phosphate, alloclamide hydrochloride, clofedanol hydrochloride, picoperidamine hydrochloride, cloperastine, protokylol hydrochloride, isoproterenol hydrochloride, 20 salbutamol sulfate, terbutaline sulfate and the like.

Examples of bronchodilators include phenylpropanolamine hydrochloride, theophylline, salbutamol sulfate and the like.

Examples of sedativa include chlorpromazine, prochlorperazine, trifluoperazine, atropine sulfate, methylscopolamine bromide and the like.

5 Examples of muscle relaxants include pridinol methansulfonate, tubocurarine chloride, pancuronium bromide and the like.

Examples of antiepileptics include phenytoin, ethosuximide, acetazolamide sodium, chlordiazepoxide and the like.

10 Examples of antiulcer agents include benzimidazole compounds (U.S. Patents 4,045,563, 4,255,431 and 4,472,409; EP-A 45200, 5129, 174726, 175464 and 208452; GB-A 2134523), metoclopramide, histidine hydrochloride and the like.

15 Examples of antidepressant agents include imipramine, clomipramine, noxiptiline, phenelzine sulfate and the like.

20 Examples of antiallergic agents include diphenhydramine hydrochloride, chlorpheniramine maleate, tripelenamine hydrochloride, methdilazine hydrochloride, clemizole hydrochloride, diphenylpyraline hydrochloride, methoxyphenamine hydrochloride and the like.

Examples of cardiotonics include trans- π -oxocamphor, theophyllol, aminophylline, etilefrin hydrochloride and the like.

Examples of antiarrhythmic agents include propranolol, alprenolol, bufetolol, oxprenolol and the like.

Examples of vasodilators include oxyfedrine hydrochloride, diltiazem, tolazoline hydrochloride,
5 hexobendine, bamethan sulfate and the like.

Examples of hypotensive diuretics include hexamethonium bromide, pentrinium, mecamylamine hydrochloride, ecarazine hydrochloride, clonidine and the like.

Examples of antidiabetics include insulin sensitivity
10 enhancer (EP-A 749751), voglibose, miglitol, glymidine sodium, glipizide, phenformin hydrochloride, buformin hydrochloride, metformin and the like.

Examples of antilipidemic agents include sodium
3R,5S-(+)-erythro-(E)-7-[4-(4-fluorophenyl)-2,6-diisopropyl-5-
15 methoxymethyl-pyrid-3-yl]-3,5-dihydroxy-hept-6-enoate, pravastatin sodium, simvastatin, clinofibrate, clofibrate, simfibrate, bezafibrate and the like.

Examples of anticoagulants include heparin sodium and the like.

20 Examples of hemostatics include thromboplastin, thrombin, menadion sodium bisulfite, acetomenaphtone, ϵ -aminocaproic acid, tranexamic acid, carbazochrome sodium sulfonate, adrenochrome monoaminoguanidine methanesulfonate and the like.

Examples of antituberculous agents include isoniazid, ethambutol, para-aminosalicylic acid and the like.

Examples of hormones include prednisolone, prednisolone sodium phosphate, dexamethasone sodium sulfate,
5 betamethasone sodium phosphate, hexoestrol phosphate, hexoestrol acetate, methimazole and the like.

Examples of narcotic antagonists include levallorphan tartrate, nalorphine hydrochloride, naloxone hydrochloride and the like.

10 Examples of bone resorption inhibitory agents include ipriflavone and the like.

Examples of osteogenesis promoting agents include polypeptides such as BMP, PTH, TGF- β , IGF-1 and the like,
(2R,4S)-(-)-N-[4-(diethoxyphosphorylmethyl)phenyl]-1,2,4,5-
15 tetrahydro-4-methyl-7,8-methylenedioxy-5-oxo-3-benzothiepine-2-carboxamide, 2-(3-pyridyl)-ethane-1,1-diphosphonic acid and the like.

Examples of angiogenesis inhibitory agents include angiogenesis inhibitory steroids [Science, 221, 719 (1983)],
20 fumagillin (EP-A 325199), fumagillol derivatives (EP-A 357061, 359036, 386667 and 415294) and the like.

Examples of vitamins include cyanocobalamine, thiamine, ascorbic acid, pantothenic acid and the like.

The above-described pharmacologically active
25 components may be in the form of pharmaceutically acceptable

salts. Examples of such salts include salts with inorganic acids (e.g., hydrochloric acid, sulfuric acid, nitric acid, etc.), organic acids (e.g., carbonic acid, bicarbonic acid, succinic acid, acetic acid, propionic acid, trifluoroacetic acid, etc.), inorganic bases (e.g., alkali metals such as sodium, potassium, etc. and alkaline earth metals such as calcium, magnesium, etc.) and organic bases (organic amines such as triethylamine, etc. and basic amino acids such as arginine, etc.).

Among the above-described pharmacologically active components, those having high moisture-sensitivity are apt to show changes in their properties during the production of pharmaceutical preparations by conventional pharmaceutical technique and are difficult to handle. The present invention is applicable to even such high moisture-sensitive components and provides a novel method for producing pharmaceutical preparations of such high moisture-sensitive pharmacologically active components.

The term "high moisture-sensitive component" means a component which undergoes chemical changes (decomposition, coloring and the like) or physiological changes (change of crystalline form and the like) due to the presence of water.

The pharmacologically active components are preferably physiologically active peptides, antibiotics, bronchodilators, antilipidemic agents and vitamins. More

preferably, the pharmacologically active component is antilipidemic agents, in particular, sodium 3R,5S-(+)-erythro-(E)-7-[4-(4-fluorophenyl)-2,6-diisopropyl-5-methoxymethylpyrid-3-yl]-3,5-dihydroxy-hept-6-enoate.

5 Examples of the sweeteners include starch sugar, reduced maltose, sorbitol, sucrose, fructose, lactose, honey, xylitol, saccharin, glycyrriza and its extracts, glycyrrhetic acid, hydrangea tea, aspartame and the like. Among them, aspartame which is a high moisture-sensitive component is
10 preferred.

 In addition to the above D-mannitol and components, the solid composition of the present invention may further contain any other excipients, disintegrators, binders, glidants, lubricants or the like, which are commonly employed
15 for the preparation of food products or medicaments. Examples of such excipients include lactose, starch, sucrose, crystalline cellulose, anhydrous calcium hydrogenphosphate and calcium carbonate. Disintegrators are, for example, low-substituted hydroxypropylmethylcellulose,
20 carboxymethylcellulose, carboxymethylcellulose calcium, carmellose, closcarmellose sodium, carboxymethyl starch sodium, partial pregeratinized starch and crospovidone. Binders are, for example, methylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose,
25 carboxymethylcellulose sodium, pregeratinized starch, acacia,

agar, gelatine, tragacanth, sodium alginate, polyvinyl pyrrolidone and polyvinyl alcohol. Glidants are, for example, hydrated silicon dioxide, light anhydrous silicic acid, synthetic aluminum silicate, synthetic hydrotalcite, dried
5 aluminum hydroxide gel, kaolin, calcium silicate and magnesium metasilicate aluminate. Lubricants are, for example, magnesium stearate, calcium stearate, stearic acid, talc, sodium lauryl sulfate, hydrogenated vegetable oil, microcrystalline wax, sucrose fatty acid ester and
10 polyethylene glycol.

While the solid composition of the present invention can be produced by per se known technique, the D-mannitol of the present invention may be employed in the production step in a form prepared in advance, or may be added in the form of
15 starting crystals to allow them to be transformed into the desired crystal shape during the production process of pharmaceutical preparations and food products.

Since the D-mannitol of the present invention, which has an increased binding points due to microcrystallization
20 of the primary particles while retaining the inherent chemical and biological properties, has excellent compatibility and compressibility, it is remarkably useful as an excipient. According to the method of the present invention, D-mannitol can be prepared conveniently and safely. Thus, the present
25 invention contributes a great deal to the design of novel

pharmaceutical preparations and food products and to the development of pharmaceutical manufacturing and food manufacturing techniques.

5 The following comparative examples and examples further illustrate the present invention, but they do not limit the scope of the present invention.

In the comparative examples and examples, the β form and δ form D-mannitol crystals were prepared by substantially the same manner as described in MICROSCOPE, 18, 279-285
10 (1970).

Comparative Example 1

To 100 g of the β form D-mannitol crystals was added 20 g of purified water. The mixture was stirred in a mortar for 3 minutes to moisten the crystals evenly, which was
15 subjected to vacuum drying (40°C, 16 hours), followed by pulverizing through a sieve of No. 16 mesh. The particles thus obtained (specific surface area: 0.5 m²/g) were subjected to compression under the following conditions.

Compressing machine: Autograph (Shimadz Seisakusho Ltd.)

20 Compression rate: 10 mm/min.

Punch: 10 mm ϕ , flat

Weight: 400 mg

Comparative Example 2

In a agitating granulator (Powrex, Vertical Granu-
25 lator VG10 type), 1500 g of the β form D-mannitol crystals was

evenly moistened with 375 g of purified water (200 rpm, 2 minutes), which was subjected to vacuum drying (40°C, 16 hours), followed by milling in a power mill (Showa Kagaku, P-3 type punching size: 1.5 mm ϕ). The powder thus obtained
5 (specific surface area: 0.5 m²/g; hereinafter called " β form crystals AG") was mixed as in the following formula and subjected to tableting under the following conditions.

Formula:

	β form crystals AG	709.2 g
10	phenylpropanolamine hydrochloride	78.8 g
	magnesium stearate	12.0 g

Total	800.0 g
-------	---------

Tableting machine: Correct 19 AWC (Kikusui Seisakusho)

15 Tableting pressure: 1200-2400 kg/cm²

Rotational frequency: 30 rpm

Punch: 8.0 mm ϕ , flat face beveled-edge

Weight: 180 mg

Comparative Example 3

20 In a agitating granulator (Powrex, Vertical Granulator VG 10 type), a mixture of 1267.2 g of the β form D-mannitol crystals and 316.8 g of phenylpropanolamine hydrochloride was evenly moistened with 240 g of purified water (200 rpm, 2 minutes), which was subjected to vacuum
25 drying (40°C, 16 hours), followed by milling in power mill

(Showa Kagaku, P-3 type, punching size: 1.5 mm ϕ). A mixture of 792.0 g of thus-obtained powders and 8.0 g of magnesium stearate was subjected to tableting under the following conditions.

- 5 Tabletting machine: Correct 19 AWC (Kikusui Seisakusho)
 Tabletting pressure: 100-3000 kg/cm²
 Rotational frequency: 30 rpm
 Punch: 8.0 mm ϕ , flat-face beveled-edge
 Weight: 180 mg

10 Comparative Example 4

- In a agitating granulator (Powrex, Vertical Granu-
lator VG 10 type), 1500 g of the β form D-mannitol crystals
was evenly moistened with 375 g of purified water (200 rpm,
2 minutes), which was subjected to vacuum drying (40°C, 16
15 hours), followed by milling in power mill (showa Kagaku, P-3
type, punching size: 1.5 mm ϕ). The β form crystals AG
(specific surface area: 0.5 m²/g) was mixed as in the
following formula and subjected to dry granulating. The slugs
thus obtained were milled in power mill (Showa Kagaku, P-3
20 type, punching size: 2.0 mm ϕ).

Formula:

β form crystals AG	709.2 g
phenylpropanolamine hydrochloride	78.8 g
magnesium stearate	12.0 g

5

Total	800.0 g
-------	---------

Machine: Roller compactor (FREUND, Model-mini)

Rotational frequency: 3 rpm

Powder-feeding rate: 20 rpm

10

Compression pressure: 50 kg/cm²

Thickness of flakes: about 2.0 mm

Example 1

To 100 g of the δ form D-mannitol crystals was added 20 g of purified water. The mixture was stirred in a mortar for 3 minutes to moisten the crystals evenly, which was subjected to vacuum drying (40°C, 16 hours), followed by pulverizing through a sieve of 16 mesh. The powders thus obtained (specific surface area: 1.9 m²/g) were subjected to compression molding under the same conditions as in Comparative Example 1. On the other hand, as comparative compressed products, compressed products were prepared respectively using untreated δ form D-mannitol crystals (specific surface area: 0.7 m²/g) and β form D-mannitol crystals (specific surface area: 0.5 m²/g) in substantially the same manner. The hardness of the compressed product thus

25

obtained and that of the compressed product in Comparative Example 1 were determined by an instrument of measuring tablet fracture strength (Toyama Sangyo). As the result, no difference of hardness was recognized, under the above-described compression conditions, among the three compressed products using untreated δ form crystals, untreated β form crystals and treated β form crystals (Comparative Example 1). The hardness of the compressed product prepared in this Example 1 was found to be remarkably high as compared with the compressed product prepared by using untreated δ form crystals or treated β form crystals (Fig. 1). And, the D-mannitol of this Example 1 was, by observation under a scanning electron microscope, unlike the starting crystals (Fig. 3), porous particle consisting of fine-crystalline aggregates of D-mannitol (Fig. 2), whose powder X-ray diffraction spectrum was measured to confirm the transformation of δ form to β form (Fig. 4).

Example 2

In a agitating granulator (Powrex, Vertical Granulator VG10 type), 1500 g of the δ form D-mannitol crystals was evenly moistened with 375 g of purified water (200 rpm, 2 minutes), which was subjected to vacuum drying (40°C, 16 hours), followed by milling in power mill (Showa Kagaku, P-3 type punching size: 1.5 mm ϕ). The powder thus obtained (specific surface area: 1.9 m²/g; hereinafter called " δ form

crystals AG") was mixed as in the following formula and subjected to tableting. The hardness of the compressed product thus obtained and that of the compressed product of the Comparative Example 2 were determined by an instrument of measuring tablet fracture strength (Toyama Sangyo). The results showed that the compressed product of this Example 2 showed remarkably excellent compressibility and gave sufficient hardness with a low tableting pressure, while the compressed product of Comparative Example 2 showed poor compressibility and capping occurred with a tableting pressure of 1800 kg/cm² or more to give no satisfactory tablets (Fig. 5).

Formula:

6 form crystals AG	709.2 g
phenylpropanolamine hydrochloride	78.8 g
magnesium stearate	12.0 g

Total	800.0 g
-------	---------

Tableting machine: Correct 19 AWC (Kikusui
Seisakusho)

Tableting pressure: 600-1800 kg/cm²

Rotational frequency: 30 rpm

Punch: 8.0 mm ϕ , flat-face beveled-edge

Weight: 180 mg

Example 3

In a agitating granulator (Powrex, Vertical Granulator VG 10 type), a mixture of 1267.2 g of the δ form D-mannitol crystals and 316.8 g of phenylpropanolamine hydrochloride was evenly moistened with 240 g of purified water (200 rpm, 2 minutes), which was subjected to vacuum drying (40°C, 16 hours), followed by milling in power mill (Showa Kagaku, P-3 type, punching size: 1.5 mm ϕ). A mixture of 792.0 g of thus-obtained powders and 8.0 g of magnesium stearate was subjected to tableting under the following conditions. The hardness of the compressed product was determined by an instrument of measuring tablet fracture strength (Toyama Sangyo). As a result, the compressed product of this Example 3 showed remarkably excellent compressibility and gave sufficient hardness, while the compressed product of Comparative Example 3 which was prepared by using β form D-mannitol crystals showed poor compressibility and capping was occurred with a tableting pressure of 2000 kg/cm² or more to give no satisfactory tablets (Fig. 6).

Tableting machine: Correct 19 AWC (Kikusui
Seisakusho)

Tableting Pressure: 1000-3000 kg/cm²

Rotational frequency: 30 rpm

Punch: 8.0 mm ϕ , flat-face beveled-edge

Weight: 180 mg

Example 4

In a agitating granulator (Powrex, Vertical Granulator VG 10 type), 1500 g of the δ form D-mannitol crystals was evenly moistened with 375 g of purified water (200 rpm, 2 minutes), which was subjected to vacuum drying (40°C, 16 hours), followed by milling in power mill (Showa Kagaku, P-3 type, punching size: 1.5 mm ϕ). The δ form crystals AG thus obtained (specific surface area: 1.9 m²/g) was mixed as in the following formula and subjecting to dry granulating under the same conditions as in Comparative Example 4. The slugs thus obtained were milled in power mill (Showa Kagaku, P-3 type, punching size: 2.0 mm ϕ). The strength of the granules was determined by an instrument measuring granular strength (Okada Seiko, Grano), and the results were shown in (Fig. 7), from which the average granular strength of the both products was calculated (n = 30 ; 1.0-2.0 mm) to find that the average granular strength of the granules of this Example 4 was 601.7 g, while that of the granules of Comparative Example 4 was 292.0 g.

As is clear from the results, the formula in this Example 4 using the δ form crystals AG gave hard granules containing little micropowders and showed excellent properties for filling in capsules. On the other hands, since the strength of the granules obtained by the formula in

Comparative Example 4 using β form crystals AG was not sufficient, encapsulation of them was difficult.

Formula:

	8 form crystals AG	709.2 g
5	phenylpropanolamine hydrochloride	78.8 g
	magnesium stearate	12.0 g
<hr/>		
	Total	800.0 g

Example 5

10 To agitating granulators (Powrex, Vertical Granu-
lator VG 10 type) each containing 1000 g of 8 form D-mannitol
crystals, 50, 100, 150, 200, 250 and 300 g of purified water
(5-30 w/w% based on the weight of mannitol) were respectively
added en bloc. The respective mixtures were agitated (2
15 minutes, 200 rpm), followed by vacuum drying (40°C, 16 hours).
Each dried material was milled in power mill (Showa Kagaku,
P-3 type, punching size: 1.5 mm ϕ). The thus obtained powder
(specific surface areas: 1.0, 1.4, 1.7, 1.9, 3.5 and 2.7 m²/g,
respectively) was subjected to tableting under the following
20 conditions. The hardness of the compressed product was
determined by an instrument of measuring tablet fracture
strength (Toyama Sangyo). The specific surface area of the
powders was measured by BET method. The results showed that
the volume of water used for the treatment gave an influence
25 on the specific surface area of the product obtained by

treatment of the crystals to correspondingly influence on the hardness of the compressed product (Fig. 8). In Fig. 8, numerical values in the parentheses show % by weight of the purified water used relative to the weight of δ form D-mannitol crystals.

Tabletting machine: Correct 19 AWC (Kikusui
Seisakusho)

Tabletting pressure: 2000 kg/cm²

Rotational frequency: 30 rpm

Punch: 8.0 mm ϕ , flat-face beveled-edge

Weight: 180 mg

Example 6

5.043 kg of δ form D-mannitol was treated in a high shear mixer (Loedige MGT-30) with a granulation liquid comprising of 6 g of sodium 3R,5S-(+)-erythro-(E)-7-[4-(4-fluorophenyl)-2,6-diisopropyl-5-methoxymethyl-pyrid-3-yl]-3,5-dihydroxy-hept-6-enoate (cerivastatin), 108 g of polyvinyl pyrrolidone (polyvidone 25) and 420 g of purified water. The wet granulation mass was rasped and then dried in a fluidized bed dryer (inlet air temperature 60-80°C) until a residual moisture content of preferably 1.5% or less was reached. The granules were sieved (oscillation sieve, 0.8 mm) and then blended with 162 g of crospovidone and 81 g of magnesium stearate. Compression of the granulates under the following conditions resulted in tablets with favorable hardness.

30

Tabletting machine: Kilian T 200

Compression force: 6-8 kN

Punch size: 6 mm diameter

9 mm radius of curvature

5 Tablet weight: 90 mg

What is claimed is:

1. D-mannitol having a specific surface area of not less than about $1 \text{ m}^2/\text{g}$.

2. D-mannitol according to claim 1 which is a mixture of δ form crystals and β form crystals.

3. A process for preparing D-mannitol having a specific surface area of not less than about $1 \text{ m}^2/\text{g}$ which comprises treating δ form D-mannitol crystals with a water-soluble solvent, followed by drying.

4. The process according to claim 3, wherein the water-soluble solvent is used in an amount of about 3 to about 70 W/W% based on the weight of the δ form D-mannitol crystals.

5. A solid composition comprising D-mannitol having a specific surface area of not less than about $1 \text{ m}^2/\text{g}$.

6. The solid composition according to claim 5 which further comprises a pharmacologically active component.

7. The solid composition according to claim 6, wherein the pharmacologically active component is a highly moisture-sensitive component.

8. The solid composition according to claim 7, wherein the highly moisture-sensitive component is sodium 3R,5S-(+)-erythro-(E)-7-[4-(4-fluorophenyl)-2,6-diisopropyl-5-methoxymethyl-pyrid-3-yl]-3,5-dihydroxy-hept-6-enoate.




Fig.1




Fig.2




Fig.3




Fig.4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

INTERNATIONAL SEARCH REPORT

International Application No
PCT/JP 97/01286

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C07C31/26 C07C29/76 A61K47/10 A61K31/44 A61K9/20

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07C A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JOURNAL OF PHARMACEUTICAL SCIENCES, vol. 53, no. 2, February 1964, WASHINGTON US, pages 188-192, XP002036028 J.J. KANIG: "Properties of fused mannitol in compressed tablets" cited in the application see the whole document ---	1
A	US 5 356 896 A (M.B. KABADI, ET AL.) 18 October 1994 see example 10 -----	8

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- * "A" document defining the general state of the art which is not considered to be of particular relevance
- * "E" earlier document but published on or after the international filing date
- * "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- * "O" document referring to an oral disclosure, use, exhibition or other means
- * "P" document published prior to the international filing date but later than the priority date claimed

- * "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- * "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- * "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * "&" document member of the same patent family

Date of the actual completion of the international search

24 July 1997

Date of mailing of the international search report

04.08.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

English, R

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 97/01286

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5356896 A	18-10-94	AT 401872 B	27-12-96
		AT 190595 A	15-05-96
		AT 401870 B	27-12-96
		AT 244992 A	15-05-96
		AU 661075 B	13-07-95
		AU 3006992 A	17-06-93
		CA 2085037 A	13-06-93
		CH 684309 A	31-08-94
		DE 4240430 A	17-06-93
		EP 0547000 A	16-06-93
		FI 925615 A	13-06-93
		FR 2684876 A	18-06-93
		GB 2262229 A,B	16-06-93
		HK 25597 A	06-03-97
		IT 1256698 B	12-12-95
		JP 5246844 A	24-09-93
		LU 88201 A	09-09-94
		NZ 245421 A	27-11-95
		NZ 270729 A	27-11-95
		SK 363392 A	09-11-94
		ZA 9209642 A	13-06-94
